


NOTES:


* POOL MAY BE CLOSER IF ENGINEERED DRAWINGS FOR POOL WALL ARE SUBMITTED.

** SETBACK MEASUREMENTS SHALL BE TAKEN FROM OUTSIDE OF POOL WALL, NOT WATER LINE.


SWIMMING POOL: ANY STRUCTURE THAT CONTAINS WATER OVER 18 INCHES DEEP.




FENCE WITH HORIZONTAL MEMBERS AT MORE THAN 45" APART



FENCE WITH HORIZONTAL MEMBERS AT LESS THAN 45" APART




POOL GATE- RELEASE MECHANISM ALLOWED ON POOL SIDE ONLY




POOL GATE- RELEASE MECHANISM ALLOWED ON EITHER SIDE

- POOL GATE NOTES:**
1. PEDESTRIAN GATES SHALL SWING AWAY FROM THE POOL.
 2. ANY GATES OTHER THAN PEDESTRIAN ACCESS GATES SHALL BE EQUIPPED WITH LOCKABLE HARDWARE OR PADLOCKS AND SHALL REMAIN LOCKED AT ALL TIMES WHEN NOT IN USE.



POOL- SIDE ELEVATION

COMBINATION POOL FENCE



CHAIN LINK FENCE NOTES:

1. 11 GA. MIN.
2. FOR EXISTING CHAIN LINK FENCES MEETING HEIGHT REQUIREMENTS WITH OPENINGS EXCEEDING 1-3/4", WOODEN SLATS MAY BE INSTALLED TO MEET CODE REQUIREMENTS.